

### IN THE CLAIMS

Please amend claims 7, 21, 46-51, 55-57 and 67 as follows:

1. (Previously Amended) A pharmaceutical composition comprising a stress protein complex and a physiologically acceptable carrier, wherein the stress protein complex comprises an hsp110 polypeptide and an immunogenic polypeptide.
2. (Previously Amended) The pharmaceutical composition of claim 1, wherein the hsp110 polypeptide is complexed with the immunogenic polypeptide.
3. (Previously Amended) The pharmaceutical composition of claim 2, wherein the hsp110 polypeptide is complexed with the immunogenic polypeptide by non-covalent interaction.
4. (Original) The pharmaceutical composition of claim 2, wherein the complex comprises a fusion protein.
5. (Original) The pharmaceutical composition of claim 1, wherein the complex is derived from a tumor.
6. (Original) The pharmaceutical composition of claim 1, wherein the complex is derived from a cell infected with an infectious agent.
7. (Currently Amended) The pharmaceutical composition of claim 1, wherein the stress protein complex further comprises a polypeptide selected from the group consisting of ~~members of the hsp70, hsp90, grp78 and grp94 stress protein families.~~
8. (Original) The pharmaceutical composition of claim 1, wherein the stress protein complex comprises hsp110 complexed with hsp70 and hsp25.
9. (Previously Amended) A pharmaceutical composition comprising a first polynucleotide encoding an hsp110 polypeptide and a second polynucleotide encoding an immunogenic polypeptide.

10. (Original) The pharmaceutical composition of claim 9, wherein the first polynucleotide is linked to the second polynucleotide.

11-15. (Previously Canceled)

16. (Previously Amended) The pharmaceutical composition of claim 1, wherein the immunogenic polypeptide comprises a cancer antigen.

17. (Original) The pharmaceutical composition of claim 16, wherein the immunogenic polypeptide comprises a her-2/neu peptide.

18. (Original) The pharmaceutical composition of claim 17, wherein the her-2/neu peptide is derived from the intracellular domain of her-2/neu.

19. (Previously Amended) The pharmaceutical composition of claim 17, wherein the her-2/neu peptide is derived from the extracellular domain of her-2/neu.

20. (Previously Amended) The pharmaceutical composition of claim 17, wherein the her-2/neu peptide is derived from the transmembrane region of her-2/neu.

21. (Currently Amended) The pharmaceutical composition of claim 16, wherein the cancer antigen is a colon cancer antigen.

22. (Previously Amended) The pharmaceutical composition of claim 1, wherein the complex has been heated so as to enhance binding of the hsp110 polypeptide to the immunogenic polypeptide.

23. (Original) The pharmaceutical composition of claim 1, further comprising an adjuvant.

24-32. (Previously Canceled)

33. (Previously Amended) A method for inhibiting tumor growth in a subject, comprising administering to the subject an effective amount of the pharmaceutical composition of claim 16 to elicit an anti-tumor immune response in the subject, and thereby inhibiting tumor growth in the subject.

34. (Previously Amended) A method for inhibiting the development of a cancer in a subject, comprising administering to the subject an effective amount of the pharmaceutical composition of claim 16 to elicit an anti-tumor immune response in the subject, and thereby inhibiting the development of a cancer in the subject.

35-45. (Previously Canceled)

46. (Currently Amended) The method of claim ~~32~~ 34, wherein the hsp110 polypeptide of the pharmaceutical composition is complexed with the immunogenic polypeptide.

47. (Currently Amended) The method of claim ~~32~~ 34, wherein the hsp110 polypeptide of the pharmaceutical composition is complexed with the immunogenic polypeptide by non-covalent interaction.

48. (Currently Amended) The method of claim ~~32~~ 34, wherein the complex of the pharmaceutical composition comprises a fusion protein.

49. (Currently Amended) The method of claim ~~32~~ 34, wherein the complex of the pharmaceutical composition is derived from a tumor.

50. (Currently Amended) The method of claim ~~32~~ 34, wherein the hsp110 of the pharmaceutical composition is complexed with hsp70 and hsp25.

51. (Currently Amended) The method of claim ~~32~~ 34, wherein the immunogenic polypeptide of the pharmaceutical composition comprises a her-2/neu peptide.

52. (Previously Added) The method of claim 51, wherein the her-2/neu peptide is derived from the intracellular domain of her-2/neu.

53. (Previously Added) The method of claim 51, wherein the her-2/neu peptide is derived from the extracellular domain of her-2/neu.

54. (Previously Added) The method of claim 51, wherein the her-2/neu peptide is derived from the transmembrane region of her-2/neu.

55. (Currently Amended) The method of claim ~~32~~ 34, wherein the cancer is colon cancer.
56. (Currently Amended) The method of claim ~~32~~ 34, wherein the complex of the pharmaceutical composition has been heated so as to enhance binding of the hsp110 polypeptide to the immunogenic polypeptide.
57. (Currently Amended) The method of claim ~~32~~ 34, wherein the pharmaceutical composition further comprises an adjuvant.
58. (Previously Added) The method of claim 33, wherein the hsp110 polypeptide of the pharmaceutical composition is complexed with the immunogenic polypeptide.
59. (Previously Added) The method of claim 33, wherein the hsp110 polypeptide of the pharmaceutical composition is complexed with the immunogenic polypeptide by non-covalent interaction.
60. (Previously Added) The method of claim 33, wherein the complex of the pharmaceutical composition comprises a fusion protein.
61. (Previously Added) The method of claim 33, wherein the complex of the pharmaceutical composition is derived from a tumor.
62. (Previously Added) The method of claim 33, wherein the hsp110 of the pharmaceutical composition is complexed with hsp70 and hsp25.
63. (Previously Added) The method of claim 33, wherein the immunogenic polypeptide of the pharmaceutical composition comprises a her-2/neu peptide.
64. (Previously Added) The method of claim 63, wherein the her-2/neu peptide is derived from the intracellular domain of her-2/neu.
65. (Previously Added) The method of claim 63, wherein the her-2/neu peptide is derived from the extracellular domain of her-2/neu.

66. (Previously Added) The method of claim 63, wherein the her-2/neu peptide is derived from the transmembrane region of her-2/neu.

67. (Previously Added) The method of claim 33, wherein the cancer antigen is a colon cancer antigen.

68. (Previously Added) The method of claim 33, wherein the complex of the pharmaceutical composition has been heated so as to enhance binding of the hsp110 polypeptide to the immunogenic polypeptide.

69. (Previously Added) The method of claim 33, wherein the pharmaceutical composition further comprises an adjuvant.